



VS SUB Side



Installation dimensions:



Heights

VS SUB Side 1	485 mm	(2 baskets)
VS SUB Side 2	577 mm	(2 baskets)
VS SUB Side 3	619 mm	(2 baskets)
VS SUB Side 4	741 mm	(3 baskets)
VS SUB Side 5	1.222 mm	(4 baskets) (3 slides)
VS SUB Side 7	1.602 mm	(5 baskets) (3 slides)
VS SUB Side 8	1.824 mm	(6 baskets) (3 slides)

Basket dimensions:


	Basket width			Basket depth			Basket height	
	C150	C200	C300	C150	C200	C300	Classic Saphir	Premea P. Artline
90°	89	139	220	470	470	470	75	84
45°	89	139	220	460	460	458	75	84 <i>Premea only</i>
35°			220			458	75	84 <i>Premea only</i>



Basket variants:











Finish






Fitting RAL 9006 silver, clear finish
Baskets chrome or RAL 9006 silver, clear finish







VS SUB Side 04/2017





	A	B
90°	75	123
50°	111	159
45°	103	151
40°	98	146
35°	91	139
30°	85	133

	C	D	E
VS SUB Side 8	916	872	1788
VS SUB Side 7	805	761	1566
VS SUB Side 5	615	571	1186
VS SUB Side 4	705		
VS SUB Side 3	583		
VS SUB Side 2	541		
VS SUB Side 1	449		



	A	B	B	C	
90°	14	VS SUB Side 8	894	907	1766
50°	28	VS SUB Side 7	783	796	1544
45°	22	VS SUB Side 5	593	606	1164
40°	20	VS SUB Side 4	683		
35°	20	VS SUB Side 3	561		
30°	17	VS SUB Side 2	519		
		VS SUB Side 1	427		

