



VS TAL Gate Pro



Einbaumaße

Höhen:

DUSA 1	650 mm - 950 mm	(2 + 2 Körbe)
DUSA 2	950 mm - 1200 mm	(3 + 3 Körbe)
DUSA 3	1200 mm - 1450 mm	(4 + 4 Körbe)
DUSA 4	1450 mm - 1700 mm	(4 + 4 Körbe)
DUSA 5	1700 mm - 1950 mm	(5 + 5 Körbe)
DUSA 6	1900 mm - 2150 mm	(5 + 5 Körbe)


Korbmaße

Korpus	Korbbreite	Korbtiefe	Korbhöhe
450	350	305	75
500	400	305	75
600	500	305	75


Korbmaße Front

Korpus	Korbbreite	Korbtiefe	Korbhöhe
450/500	365	110	75
600	465	110	75

Korbvarianten:



Korpusmaße




Ausführung

Beschlag: RAL 9006 silber Klarlack

Körbe: Chrom
RAL 9006 silber Klarlack

Belastung: Front: 20 kg
Auszug: 80 kg

Dämpfung







Hinweis: Um ein Kippen des Schrankes zu verhindern, muß der Schrank fest mit der Wand verbunden werden. Entsprechendes Befestigungsmaterial gehört nicht zum Lieferumfang.





04 / 2017








VS TAL Gate Pro








1





2







3











4





5







8





9






D



10





11



12





E







13



E



14



6

C


9

D

12

13

E



	D	C
DUSA 1	473	190
DUSA 2	793	510
DUSA 3	1049	702
DUSA 4	1193	702
DUSA 5	1593	1086
DUSA 6	1593	1086

	E
K 450	93
K 500	80
K 600	130

